A TechForAg 'Ready-To-Milk' Modular Parlor


Model: Dbl. 16 ProTime II HerringBone - 45"

Key Features: Rapid Exit - Automatic Indexing - Partially Galvanized

Preliminary Proposal For: WS # 200 - # 072621 - 1 Tom H.



Q ty	Units	Description		Cost to End-user
		HERITAGE ProTime II Stalls - Remanufactured		
		- All stainless RumpRails/Butt Plates; 45" spacing		
		- (2) 12-Stall Independent Brisket Bars per Side		
		- (6) Brisker Bar Support Posts per Side - Galvanized		
		- Rapid Exit Germania Brisket Bar - Galvanized		
		- Auto-Indexing w/(12) 3" x 10" stainless Cylinders		
		- (4) Galvanized Entrance and Exit Gates		
32	Stalls	- No Meters		\$ 23,408



Brisket Bar indexed; Swingarm in the back shown at an angel toward the cows at may be 4".

10" are avaiable

Q ty	Units	Description		Cost to End-user
1	Group	Automated Cow Traffic Controls - (6x2) 3" x 10" stainless Cylinders for Indexing - (2x2) 3" x 10" stainless Cylinders for Entrance & Exit Gates - Rapid Exit; Brisket Bar Up - Down - Main Control Panel with (7) Control Buttons - Remote Control Panel in front to reduce walking		Included in Cost of Stalls

All-stainless TechForAg cylinders are easy to service. Just remove (4) bolts....





(2) Cow Traffic Controls at last stalls on either side of parlor. Plus (2) remote panels in front. 5-Button Crowd Gate controls on one side only. Stainless cylinders operate Entrance Gates & Automatic Indexing. Manual Exit Gates.

Q ty	Units	Description		Cost to End-user
0	Stalls	Stainless Curbing, Gutter and Grates All Stainless; All-in One Welded Structure		\$ -
			250	All-stainless Gutter and Grates - A Heritage exclusive! Stainless Gutter, Curbing and Grates are one welded unit. For utmost Cow Comfort we chose 3/4" x 3/4" bars, the widest in the industry, bar none.
48	Stalls	Stainless Curbing, but no Gutters and Grates - New!		\$ 15,429
0	Units	15" x 10 ft x 11 ga Cross-Over Channels - New!one at either end of pit		\$ -
32	Stalls	DeckFlush - New! Cleans the Deck at each cow position as she leaves.		Page 4 of 31 \$ 3,886

Q ty	Units	Description			Cost to End-user
		Air Powered CIP Cup Holders			
		Single push button operated - "Now you see them - then you don't"	Air Powered CIP Cup Holders are not available f		Holders are not available for
0	Units	Match Jetter Cups to Inflation - Brand & Model #	PT-II Stalls		






New Style CIP Cup Holders - Optionally Available. No more rubber cups to buy




0	Units	Fold-Up CIP Cup Holders - New! (Similar to ProTime I, but manually operated)		\$	-
		Traditional CIP Cup Holders - New!		Page 5 of 31	
48	Units	(Slide Rubber Cups into a stainless Rack)		\$	3,086

Qty	Units	Description	Cost to End-user
		HERITAGE - New!	
		Heavy Duty All-Air Operated Crowd Gate	
		with Automatic Manure Scraper	
	28ft		
1	x 120 ft	Various other gates are <i>Optionally Available</i>	\$ 30,175
		C-4 x 6.5 lbs Crowd Gate Channel - New!	
250	ft	(Hot-dip galvanized)	\$ 3,929



Q ty	Units	Description		Cost to End-user
32	Units	Original Germania Legacy 9000 ArmTakeOffs - Remanufactured All-Air Controls, All-stainless, with spring-loaded clutch for arm		\$ 54,629



Page 7 of 31

Qty	Units	Description		Cost to End-user	
		Original Germania Top Outlet Claw-Clusters -			
		Remanufactured but with all-New Rubber Goods			
		- Air Forks			
		- 06 Shells			
		- Milk Hose			
		- Pulsation Hose			
		- Short air tubes			
		- Liners			
32	Units	-Boumatic Pulsators		\$ 13,029	•
		New Feature - Rubber Goods upgraded to All-Silicon - (Except inflations)			







HERITAGE Top Outlet Claw hangs well balanced on the arm for milking and equally so in the rest position.

Q ty	Units	Description	Cost to End-user
		Pulsation System - New!	
32	Stalls	 - 3" PVC Pulsation line with hoses, fittings & wiring harness - 3" PVC FreshAir line with fittings & hoses - (4) FreshAir Filters - (2) 3" PVC Cross-Overs in front & back 	\$ 2,971
		16-Unit Excalibur Pulsation Controller New!	
3	Units	Electrician provides 120 volt receptacle nearby - bid separately!	\$ 2,99



Q ty	Units	Description		Cost to End-user
		HERITAGE		
	<u> </u>	CIP-Receiver Combination Group	- New!	T
0	Stall Equiv.	This group combines the traditional Receiver Group and the CIP System into a single pre-assembled aggregate - pre-plumbed, pre-wired and		\$ -
		30" diam. x 24/34" Receiver - which is also the Wash Vat for the CIP Cycle		
		- AW-style Moisture Trap with 4" Vac inlet & 4" U-bend		
		'- (2) 4" x 33" Sock Milk Filters with 1 1/2" side outlet and (2) Butterfly Valves - (2) 3- hp Fristam Milk Pumps, one for stand-by		
		- (2) LLC Probes for milk and water levels - 1 1/4" Input Group with hot and cold water valves + (3) chemical inputs		
		Water supply lines to Omal valves should be at least 1 1/4" diameter. Otherwise takes too long to fill receiver		
		- 2" Ball check valve with air blow-out for rest milk		
		'- HERITAGE C-12.5 Pipe Line Washer with (3) peristaltic chemical pumps		
		Electrician supplies: - 220 Volt,Xsingle phase to this Group		
		Plumber supplies: - Hot & Cold water to the input group - Cold Water to the Plate Cooler		
		Includes Stand-by Milk Pump with pre-wired Twist-Lock Plugs		
		Also a Stand-by Variable Speed Controller, prewired as well		
0	Unit	6,000 lbs/hr Dual Pass Plate Cooler		-
		(Modify Group for AWs?)		Page 10 of 31

HERITAGE CIP-Receiver Combination Groups





Model 1500 installed at Steve Paul's new dairy Whitewater, WI. November 2009; Dbl. 10 PT-I Expandable to dbl. 16

Receiver has (4) 3" inlets. Group to be installed in Milk House, with Milk House located at the top of the Holding Pen, on either the left or right side of the parlor. 3" lines from one side of parlor will cross over in back of parlor.

For details on HERITAGE CIP Receiver Combination Groups got to http://www.techforag.com/CIPReceiverGroup/CIP_Receiver_Group2010.pdf

Q ty	Units	Description	Cost to End-user
		Traditional Receiver Group - Remanufactured, incl. 26" Receiver, 3hp Milk Pumps with Dog House, 4 7/8" x 33" Filter, Moisture Trap & U-Bend, Flapper Valve, LL Probes & Controller,	
2	Group	Short Plug - Long Plug, Air Blow Valve, etc.	\$ 12,857



0	Unit	2 hp LC Thompson MilkPump - New! 220V - single or 3-Phase?	\$	-
1	Group	Automatic CIP System - Remanufactured (120) gl Vertical Wash Sink, Water Level Sensor, Hot & Cold Water Valve, Heritage PipeLine Washer - New! (3) Peristaltic pumps for chemicals - New! (1) Air Injector installed at the Receiver Groups 2" x 2" Divert/3-Way Valve at sink, Automatic Drains	\$	12,143
0	Unit	2 hp LC Thompson Pressure Wash Pump - New!	Page 12 of 31	,-

Q ty	Units	Description		Cost to End	-user
48	Stalls	240 ft of 3" Lo- Lines - Partially New! Partially Remanufactured Double slope - single loop @ 2% slope, with nipples, fittings, all clamps, gaskets and brackets. Line slopes toward HoldPen (We would only install the straight line for the 24 stalls)		\$	4,457
48	Stalls	2" CIP Line - Remanufactured - with nipples, fittings, all clamps, gaskets & brackets Both lines will be dead-ended at back of parlor		\$	3,086
80	ft	2" Discharge line - New! from CIP-Receiver Group to Milk Tank (Bottom Loading) and back to CIP Rec Group; incl. Safety Switch at Tank		\$	2,857
				Page 13 of 3	31

Q ty	Units	Description	Cost to End-user	
1		Compressed Air System - New! - (1) 7.5 hp Quincy Screw Compressors Compressor - (1) 7.5 hp Quincy Vertical Compressor for Stand-By - With Twin Tower Drier, dries air to minus 10 dgr	\$ 16,7	786
1	Group	80 gl Tank, Filters, Drains, Copper Lines to all stations of Parlor, etc. Electrician provides 220V to this groupsingle or3 Phase?	\$ 2,1	143





Page 14 of 31

Q ty	Units	Description	Cost to	o End-user
1	Group	(2) 15 Hp Vacuum System with Lobe-Style Pump - New! Sutor-Built Lobe-style Blower Pump, preassembled for instant installation - 2nd pump for StandBy	\$	12,143
1	Unit	15 hp Frequency Controller/Variable Speed Drive - New!	\$	4,143
1	Group	6" PVC Header Lines with 3" lines to Pulsation and Receiver Group; Also includes Pre-Filter, Check Valve, Test Port, Safety Valve, Slide Valve, Drains.	\$	1,214
1	Unit	Sentinel Model 350 Vacuum Regulator - New!	\$	929
		Electrician provides 220 volt to this Group - Bid separately!single or3 phase?		



Page 15 of 31


Q ty	Units	Description		Cost to End-user
		Stainless Covering for Pit Wall and/or Parlor Walls		
0	sqft	4 ft x 10 ft x 16 ga sheets, # 4 polish		\$






Page 16 of 31

Qty	Units	Description		Cost to End	l-user
0	Units	4 ft x 4 ft stainless Divert Gate Built from 2 1/2 x 2 1/2 x 11 ga square tubing Divert exiting cows into a catch pen.		\$	
		Cylinders for the Divert Gates			
0	Group	3" x 14" Stainless cylinders w/EV-125 Quick Exhaust Valves (4) Versa 'Open' & 'Close' Push Buttons		\$	-





Q ty	Units	Description		Cost to End-user
1	Group	On-Farm Spare Parts Kit (Contains only new parts) Includes all essential parts for at least (1) year of operation, (2) retract cylinder, at least (2) of each air valves,		\$ 7,143
		an extra LLC, seal kits for the milk pump, (2) PC Boards for the Pipe Line Washer, (2) extra Pulsator, an extra Claw Cluster Assy', etc.		,



Q ty	Units	Description	Cost	to End-user
1	Pcs	Double Compartment Sink - New!	\$	786
		Accessories Group - New!		
		Hand Wash Sink, Filter Sock Holder with (1) box of Filters, SST paper		
1	Group	towel holder, SST soap dispenser, etc.	\$	536





Qty	Units	Description	Cost to	End-user
1	Group	(1) 35 ft long 1" Wash-Down Hose for the pit with original Brass Fire-Hose Nozzles	•	226
1	Group	with original brass Fire-mose Nozzles	Ψ	220
		(2) 80 ft long 1" Wash-Down Hoses for the Cow Platforms		
1	Group	with original Brass Fire-Hose Nozzles	\$	440
		Air-Powered, all-stainless Hose Reel		
0	Units	for the (3) Wash-Down Hoses	\$	-






Q ty	Units	Description		Cost to End-user
0	sqft	Pit Mats for the Milkers - What Colors?		s -







Q ty	Units	Description		Cost to End-user	
		Stainless Pit Steps - New!			
		from parlor into Holding Pen; 4 steps, 36" wide, 8" riser			
1	Unit	with SST Handrail .		\$ 1,	,214



Qty	Units	Description	Cost to End-user	
14	Sets	Lights for the Milker Pit - New! Basically a set of (2) stainless brackets to mount one 96" LED Light Fixtures in the Overhead Channel	\$ 90	60
		96" LED Light Fixtures must be vapor tight and 100% corrosion resistant		
		We install the brackets on site; Electrician supplies and installs the fixtures		
		This parlor needs (7) 8 ft fixtures per side		



Q ty	Units	Description		Cost to End-user
		AccuWeigh Milk Measuring System		
		Remanufactured		
0	Units	(Change Low-Line and Receiver Group!)		-



		Germania Accuweigh 90 or 65			
		- Hold all of the milk for quick check before letting the cows go			
		- Drain and re-vacuumize automatically when cows leave			
		- Provide great vacuum reserve right next to the cow			
		AW Control Boxes			
0	Group	Turbo Controller,Extra VacShutOff Valves, etc.		\$	-
				Page 24 of 31	
0	Units	Butter Fat Testers		\$	-

Q ty	Units	Description		Cost to End-user
0	Unit	Stainless Breezeway Fences with 3ft 'Side Wing'		\$ -





0 ft Stainless Cap for Breezeway Wall \$ -



Q ty	Units	Description		Cost to End-user
		1" Kraiburn Rubber Mats (Made in Germany) - New!		
32	Stalls	For the Cow Platforms		\$ 5,689



Page 26 of 31

Qty	Units	Description		Cost to End-user
		(4) Modular Platforms for 8-stalls each		
		Stainless- New!		
		The structural bases of the Modules; Height of your concrete cow platform		
		should be 34" - if you are comfortable with a 38" working height - To be		
4	Group	discussed!		\$ 6,857





We build our parlor modules on platforms, a frame work made form 2" x 4" stainless tubing and usually 53" wide x 50 ft long for the typical dbl. 12. Normally, we slide the Modules into place on this steel frame work, pushed by a Skid Loader.

Summary P	age
-----------	-----

	T	Summary Page	<i>,</i>		
		Sub-Total Materials		\$	250,144
		Less 15% Dairy-Direct Discount		\$	(37,522
		Cost of Sub-Total Materials after DDD		\$	212,623
		Pre-installation Labor at our factory to assemble 'Sub-Total Materials' into (4) 8-Stall Modules at 10%		\$	25,014
4	Trucks	Estimated Freight @ \$4.75/mile for 150 miles each (only within the State of Wisconsin)		\$	2,250
		Engineering charges for nesting the two Modules		\$	500
		On-Site Installation Labor, Supplies & Expenses Covers several items:			
		1. Time for (2) Technicians (18) days @ 12 hrs average @ \$75 hr		\$	32,400
		2. Time value of Technicians while travelling: (3) daily round trips @ 4 hrs @ \$35/hr		\$	-
		3. Travel Expenses: (3) Plane tickets + local transportation +Motels + Meals & Misc.		\$	_
		5. Rebate to Customer of \$1,000 for prompt payment of last installment			
		6. Warranty work & follow-up visits			
		Grand Total I Parlor with Freight & Installation		\$	272,787
		Per Stall		\$	8,525
				Page 28 of	21

Terms - I

If production at TFA starts several months in the future

- 1) 15% down at signing of contract
 - 2) 25% on start of production
- 3) 55% on delivery of parlor to the dairy
 - 4) 5% On start-up of milking
 - 5) \$1,000 Rebate for prompt payment

Terms - II

If production at TFA starts more or less immediately

- 1) 35% at signing of contract, plus
- 2) 60% on delivery of parlor to the dairy
 - 3) 5% on Start-up of Milking
 - 4) \$1,000 Rebate for prompt payment

Please Note

18 Months warranty on all materials. Does not apply to the Compressed Air Group and the Vacuum Group, for which we pass on the manufacturer's warranty

Warranty starts *after* parlor has been paid for in full

Dbl. 24 - PT-II 45"- Conventional Exit				
	Per Stall Cost of (4) 12-stall			
	Brisket Bars			
	- (4) Groups of Rapid Exit Lift			
	Components (Brackets,			
	Pulleys, Cable, Swivels,			
	Hydraulic Hose, etc.)			
	(4) 5" Lift Cylinders			
Per Stall Cost of :	- (6)*2 3"x10" Cyl.			
	- (6 x 4) Versa Valves			
- Galvan'd Overhead Structure	- (2) Lift Groups Air Control			
- Stainless Splash Shields	Valves			
- Galvanized Vertical Braces to	- (2) Entrance Gates			
Overhead Structure	- (2) Exit Gates			
- Stainless Rump Rails	- (4) Regular Pivot Posts			
- Dummy St.& Corner Groups	(2) Double Pivot Posts			
- Plain BrBar Galvanized				
\$ 879	\$ 584			
Total Cost per stall @ 45% GM	\$ 1,463			

\$\$ are for new Stalls - \$1,463 x .35 for Remanufactured

23,408

512